ELSEVIER

European Journal of Pharmacology 300 (1996) 267–269

ejp

Author index

Abeywardena, M., see McLennan, P. (300) 83
Aldasoro, M., see Medina, P. (300) 221

Barnes, N.M., see Ge, J. (300) 113
Blanchard, J.-C., see Boireau, A. (300) 237
Böing, C., see Fink, K. (300) 79
Boireau, A., Malgouris, C., Burgevin, M.-C., Pény, C., Durand, G., Bordier, F., Meunier, M., Miquet, J.M., Daniel, M., Chevet, T., Jimonet, P., Mignani, S., Blanchard, J.-C. and Doble, A.
Neuroprotective effects of RPR 104632, a novel antagonist at the glycine site of the NMDA receptor, in vitro (300) 237
Borbély, A.A., see Schwierin, B. (300) 163
Bordier, F., see Boireau, A. (300) 237
Boser, M., see Höhle, S. (300) 119
Brusasco, V., see Sannita, W.G. (300) 33
Burgevin, M.-C., see Boireau, A. (300) 237
Butterworth, R.F., see Mousseau, D.D. (300) 191

Canella, R., see Mazzari, S. (300) 227
Chevet, T., see Boireau, A. (300) 237
Chiba, S., see Furukawa, Y. (300) 203
Chizh, B.A. and Headley, P.M.
Thyrotropin-releasing hormone facilitates spinal nociceptive responses by potentiating NMDA receptor-mediated transmission (300) 183
Chuan, P., see Medina, P. (300) 221
Coderre, T.J., see Fundytus, M.E. (300) 173
Colpaert, F.C., see Pauwels, P.J. (300) 137
Colpaert, F.C., see Pauwels, P.J. (300) 141
Crimi, E., see Sannita, W.G. (300) 33
Culman, J., see Höhle, S. (300) 119

Dafny, N., see Gaytan, O. (300) 1
Damaj, M.I. and Martin, B.R.
Tolerance to the antinociceptive effect of epibatidine after acute and chronic administration in mice (300) 51
Daniel, M., see Boireau, A. (300) 237
Doble, A., see Boireau, A. (300) 237
Durand, G., see Boireau, A. (300) 237

Fink, K., Böing, C. and Göthert, M.
Presynaptic 5-HT autoreceptors modulate *N*-methyl-D-aspartate-evoked 5-hydroxytryptamine release in the guinea-pig brain cortex (300) 79
Friend, J.M., see Xue, B.G. (300) 125
Funada, M., Schutz, C.G. and Shippenberg, T.S.
Role of δ-opioid receptors in mediating the aversive stimulus effects of morphine withdrawal in the rat (300) 17
Fundytus, M.E. and Coderre, T.J.
Chronic inhibition of intracellular Ca^{2+} release or protein kinase C activation significantly reduces the development of morphine dependence (300) 173
Furukawa, Y., Xue, Y.-x., Chiba, S. and Hashimoto, K.
Effects of zatebradine on ouabain-, two-stage coronary ligation- and epinephrine-induced ventricular tachyarrhythmias (300) 203

Gaytan, O., Swann, A.C. and Dafny, N.
Effects of amphetamine at the beginning of the light cycle on multiple indices of motor activity in the rat (300) 1
Ge, J., Towers, P., Patel, A.C. and Barnes, N.M.
[^{125}I]*S*(−)-zacopride labels a novel 5-hydroxytryptamine sensitive recognition site in rat duodenum and ileum (300) 113
Gee, K.W., see Xue, B.G. (300) 125
Girard, J., Panizzon, K. and Wallis, R.A.
Azelastine protects against CA1 traumatic neuronal injury in the hippocampal slice (300) 43
Goshima, Y., see Miyamae, T. (300) 105
Göthert, M., see Fink, K. (300) 79

Hara, Y., see Oh-ishi, S. (300) 255
Hashimoto, K., see Furukawa, Y. (300) 203
Hashimoto, S., see Izumi, T. (300) 25
Hattori, S., see Hattori, Y. (300) 147
Hattori, Y., Murakami, Y., Hattori, S., Kuroda, H., Kasai, K. and Shimoda, S.-I.
Ursodeoxycholic acid inhibits the induction of nitric oxide synthase (300) 147
Hayama, T., see Woo, J.-T. (300) 131
Head, R., see McLennan, P. (300) 83
Headley, P.M., see Chizh, B.A. (300) 183
Hirayama, Y., see Yasumitsu, R. (300) 215
Hiroi, J., see Yasumitsu, R. (300) 215
Höhle, S., Culman, J., Boser, M., Qadri, F. and Unger, T.
Effect of angiotensin AT_2 and muscarinic receptor blockade on osmotically induced vasopressin release (300) 119
Howe, P., see McLennan, P. (300) 83

Imai, T., see Yasumitsu, R. (300) 215
Inoue, T., see Izumi, T. (300) 25
Izumi, T., Inoue, T., Tsuchiya, K., Hashimoto, S., Ohmori, T. and Koyama, T.
Effect of the selective CCK_B receptor antagonist LY288513 on conditioned fear stress in rats (300) 25

Jeng, A.Y., see Tayag, E.C. (300) 261
Jimonet, P., see Boireau, A. (300) 237

Kamei, J., Morita, K., Saitoh, A., Suzuki, T. and Nagase, H.
Antinociceptive and antitussive effects of morphine in the DA-bg/bg (Beige) rat (300) 75
Kasai, K., see Hattori, Y. (300) 147
Knapp, R.J., see Li, X. (300) R1
Kobori, T., see Woo, J.-T. (300) 131
Komuro, Y., see Oh-ishi, S. (300) 255
Kondo, K., see Woo, J.-T. (300) 131
Kongsamut, S., see Tang, L. (300) 71
Koyama, T., see Izumi, T. (300) 25
Koyama, T., see Odagaki, Y. (300) 151
Kuitunen, J., see Riekkinen, M. (300) 9
Kuroda, H., see Hattori, Y. (300) 147

Lehmann, J.C., see Tayag, E.C. (300) 261
Leon, A., see Mazzari, S. (300) 227
Li, X., Varga, E.V., Stropova, D., Zalewska, T., Malatynska, E., Knapp, R.J., Roeske, W.R. and Yamamura, H.I.
δ-Opioid receptor: the third extracellular loop determines naltrindole selectivity (300) R1
Lluch, S., see Medina, P. (300) 221
Löscher, W., see Richter, A. (300) 197

Maas, M.A.W., see Zwaveling, J. (300) 91
Malatynska, E., see Li, X. (300) R1
Malgouris, C., see Boireau, A. (300) 237
Mano, M., see McLennan, P. (300) 83
Marcolongo, G., see Mazzari, S. (300) 227
Martin, B.R., see Damaj, M.I. (300) 51
Martínez, M.C., see Medina, P. (300) 221
Mazzari, S., Canella, R., Petrelli, L., Marcolongo, G. and Leon, A.
N-(2-Hydroxyethyl)hexadecanamide is orally active in reducing edema formation and inflammatory hyperalgesia by down-modulating mast cell activation (300) 227
McLennan, P., Howe, P., Abeywardena, M., Muggli, R., Raederstorff, D., Mano, M., Rayner, T. and Head, R.
The cardiovascular protective role of docosahexaenoic acid (300) 83
Medina, P., Martínez, M.C., Aldasoro, M., Vila, J.M., Chuan, P. and Lluch, S.
Contractile responses of human deferential artery and vas deferens to vasopressin (300) 221
Meunier, M., see Boireau, A. (300) 237
Mignani, S., see Boireau, A. (300) 237
Minami, M., see Yabuuchi, K. (300) 59
Miquet, J.M., see Boireau, A. (300) 237
Misu, Y., see Miyamae, T. (300) 105
Miyamae, T., Yue, J.-L., Goshima, Y. and Misu, Y.
Depressor action of L-*threo*-dihydroxyphenylserine in the rat nucleus tractus solitarii (300) 105
Miyamoto, S., see Muramatsu, I. (300) 155
Miyayasu, K., see Yasumitsu, R. (300) 215
Morin, C., see Sapena, R. (300) 159
Morin, D., see Sapena, R. (300) 159
Morita, K., see Kamei, J. (300) 75
Mørk, A., see Petersen, B. (300) 67
Mousseau, D.D., Rao, V.L.R. and Butterworth, R.F.
Na^+,K^+-ATPase activity is selectively increased in thalamus in thiamine deficiency prior to the appearance of neurological symptoms (300) 191
Muggli, R., see McLennan, P. (300) 83
Murakami, Y., see Hattori, Y. (300) 147
Muramatsu, I., Takita, M., Suzuki, F., Miyamoto, S., Sakamoto, S. and Ohmura, T.
Subtype selectivity of a new α_1-adrenoceptor antagonist, JTH-601: comparison with prazosin (300) 155

Nagase, H., see Kamei, J. (300) 75
Nishi, N., see Odagaki, Y. (300) 151
Nishiyori, A., see Yabuuchi, K. (300) 59

Odagaki, Y., Nishi, N. and Koyama, T.
Functional coupling between metabotropic glutamate receptors and G proteins in rat brain membranes (300) 151
Oh-ishi, S., Utsunomiya, I., Yamamoto, T., Komuro, Y. and Hara, Y.
Effects of prostaglandins and cyclic AMP on cytokine production in rat leukocytes (300) 255
Ohba, Y., see Woo, J.-T. (300) 131
Ohmori, T., see Izumi, T. (300) 25
Ohmura, T., see Muramatsu, I. (300) 155

Panizzon, K., see Girard, J. (300) 43
Patel, A.C., see Ge, J. (300) 113
Pauwels, P.J. and Colpaert, F.C.
Selective antagonism of human 5-HT_{1D} and 5-HT_{1B} receptor-mediated responses in stably transfected C6-glial cells by ketanserin and GR 127,935 (300) 141
Pauwels, P.J. and Colpaert, F.C.
Stereoselectivity of 8-OH-DPAT enantiomers at cloned human 5-HT_{1D} receptor sites (300) 137
Pény, C., see Boireau, A. (300) 237
Petersen, B. and Mørk, A.
Chronic treatment with citalopram induces noradrenaline receptor hypoactivity. A microdialysis study (300) 67
Petrelli, L., see Mazzari, S. (300) 227
Pfaffendorf, M., see Zwaveling, J. (300) 91

Qadri, F., see Höhle, S. (300) 119

Raederstorff, D., see McLennan, P. (300) 83
Rao, V.L.R., see Mousseau, D.D. (300) 191
Rayner, T., see McLennan, P. (300) 83
Richter, A. and Löscher, W.
Antidystonic effects of L-type Ca^{2+} channel antagonists in a hamster model of idiopathic dystonia (300) 197
Riekkinen, M., Stefanski, R., Kuitunen, J. and Riekkinen Jr., P.
Effects of combined block of α_1-adrenoceptors and NMDA receptors on spatial and passive avoidance behavior in rats (300) 9
Riekkinen Jr., P., see Riekkinen, M. (300) 9
Riela, S., see Sannita, W.G. (300) 33
Roeske, W.R., see Li, X. (300) R1
Rosadini, G., see Sannita, W.G. (300) 33
Ruetten, H., see Wu, C.-C. (300) 99
Ruzycky, A.L.
Effects of 17β-estradiol and progesterone on mitogen-activated protein kinase expression and activity in rat uterine smooth muscle (300) 247

Saitoh, A., see Kamei, J. (300) 75
Sakamoto, S., see Muramatsu, I. (300) 155
Sannita, W.G., Crimi, E., Riela, S., Rosadini, G. and Brusasco, V.
Cutaneous antihistaminic action of cetirizine and dose-related EEG concomitants of sedation in man (300) 33
Sapena, R., Morin, D., Zini, R., Morin, C. and Tillement, J.-P.
Desipramine treatment differently down-regulates β-adrenoceptors of freshly isolated neurons and astrocytes (300) 159
Satoh, M., see Yabuuchi, K. (300) 59
Savage, P., see Tayag, E.C. (300) 261
Saxena, P.R., see Van der Graaf, P.H. (300) 211
Schutz, C.G., see Funada, M. (300) 17
Schwierin, B., Borbély, A.A. and Tobler, I.
Effects of N^6-cyclopentyladenosine and caffeine on sleep regulation in the rat (300) 163
Shimoda, S.-I., see Hattori, Y. (300) 147
Shippenberg, T.S., see Funada, M. (300) 17
Sigeizumi, S., see Woo, J.-T. (300) 131
Stam, W.B., see Van der Graaf, P.H. (300) 211
Stefanski, R., see Riekkinen, M. (300) 9
Stropova, D., see Li, X. (300) R1
Sugimoto, K., see Woo, J.-T. (300) 131
Sumitani, K., see Woo, J.-T. (300) 131
Suzuki, F., see Muramatsu, I. (300) 155
Suzuki, T., see Kamei, J. (300) 75
Swann, A.C., see Gaytan, O. (300) 1

Tagami, K., see Woo, J.-T. (300) 131
Takita, M., see Muramatsu, I. (300) 155
Tang, L. and Kongsamut, S.
Frequency-dependent inhibition of neurotransmitter release by besipirdine and HP 184 (300) 71

Tayag, E.C., Jeng, A.Y., Savage, P. and Lehmann, J.C.
Rat striatum contains pure population of ET_B receptors (300) 261
Terrón, J.A.
GR127935 is a potent antagonist of the 5-HT_1-like receptor mediating contraction in the canine coronary artery (300) 109
Thiemermann, C., see Wu, C.-C. (300) 99
Tillement, J.-P., see Sapena, R. (300) 159
Tobler, I., see Schwierin, B. (300) 163
Towers, P., see Ge, J. (300) 113
Tsuchiya, K., see Izumi, T. (300) 25
Tsuji, T., see Woo, J.-T. (300) 131

Unger, T., see Höhle, S. (300) 119
Utsunomiya, I., see Oh-ishi, S. (300) 255

Van der Graaf, P.H., Stam, W.B. and Saxena, P.R.
Benextramine acts as an irreversible noncompetitive antagonist of U46619-mediated contraction of the rat small mesenteric artery (300) 211
Van Zwieten, P.A., see Zwaveling, J. (300) 91
Varga, E.V., see Li, X. (300) R1
Vila, J.M., see Medina, P. (300) 221

Wallis, R.A., see Girard, J. (300) 43
Winkler Prins, E.A., see Zwaveling, J. (300) 91
Woo, J.-T., Yamaguchi, K., Hayama, T., Kobori, T., Sigeizumi, S., Sugimoto, K., Kondo, K., Tsuji, T., Ohba, Y., Tagami, K. and Sumitani, K.
Suppressive effect of *N*-(benzyloxycarbonyl)-L-phenylalanyl-L-tyrosinal on bone resorption in vitro and in vivo (300) 131
Wu, C.-C., Ruetten, H. and Thiemermann, C.
Comparison of the effects of aminoguanidine and N^{ω}-nitro-L-arginine methyl ester on the multiple organ dysfunction caused by endotoxaemia in the rat (300) 99

Xue, B.G., Friend, J.M. and Gee, K.W.
Loreclezole modulates [^{35}S]*t*-butylbicyclophosphorothionate and [^{3}H]flunitrazepam binding via a distinct site on the $GABA_A$ receptor complex (300) 125
Xue, Y.-x., see Furukawa, Y. (300) 203

Yabuuchi, K., Nishiyori, A., Minami, M. and Satoh, M.
Biphasic effects of intracerebroventricular interleukin-1β on mechanical nociception in the rat (300) 59
Yamaguchi, K., see Woo, J.-T. (300) 131
Yamamoto, T., see Oh-ishi, S. (300) 255
Yamamura, H.I., see Li, X. (300) R1
Yasumitsu, R., Hirayama, Y., Imai, T., Miyayasu, K. and Hiroi, J.
Effects of specific tachykinin receptor antagonists on citric acid-induced cough and bronchoconstriction in unanesthetized guinea pigs (300) 215
Yue, J.-L., see Miyamae, T. (300) 105

Zalewska, T., see Li, X. (300) R1
Zini, R., see Sapena, R. (300) 159
Zwaveling, J., Winkler Prins, E.A., Maas, M.A.W., Pfaffendorf, M. and Van Zwieten, P.A.
The influence of hyperthyroidism on pharmacologically induced contractions of isolated resistance arteries (300) 91